



Tee
SOC



1/4 Elbow
SOC X SOC



1/4 Elbow
SOC X FIPT



1/8 Elbow
SOC X SOC



Coupling
SOC X SOC



Coupling
FIPT X FIPT



Female Adapter
SOC X FIPT



Male Adapter
MIPT X SOC



Reducing T.T. Bushing Flush
MIPT X FIPT



Cap
SOC



Cap
FIPT



Plug
MIPT

Contact: Mr. Li Zhiyong (Owner)



Mobile(WhatsApp): +86-13467138000






Skype: qslizy





E-mail: qscasting@126.com





www.qiaoshan.co







No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
1	Tee(SOC × SOC × SOC) 	801-002	1/4"	50	600
2		801-005	1/2"	25	200
3		801-007	3/4"	15	120
4		801-010	1"	20	80
5		801-012	1-1/4"	10	40
6		801-015	1-1/2"	5	30
7		801-020	2"	5	20
8		801-025	2-1/2"	0	10
9		801-030	3"	0	5
10		801-040	4"	0	5
11		801-060	6"	0	2
12		801-080	8"	0	5
13	Reducing Tee (SOC × SOC × SOC) 	801-101	3/4×3/4×1/2"	15	120
14		801-130	1×1×1/2"	15	90
15		801-131	1×1×3/4"	15	90
16		801-168	1-1/4×1-1/4×1"	15	60
17		801-210	1-1/2×1-1/2×3/4"	15	90
18		801-211	1-1/2×1-1/2×1"	10	40
19		801-247	2×2×1/2"	10	60
20		801-248	2×2×3/4"	10	60
21		801-249	2×2×1"	10	60
22		801-250	2×2×1-1/4"	10	40
23		801-251	2×2×1-1/2"	10	40
24		801-290	2-1/2×2-1/2×1-1/4"	10	40
25		801-291	2-1/2×2-1/2×1-1/2"	9	36
26		801-292	2-1/2×2-1/2×2"	0	36
27		801-337	3×3×1-1/2"	0	10
28		801-338	3×3×2"	0	10
29		801-420	4×4×2"	0	5
30		801-422	4×4×3"	0	5
31		801-530	6×6×3"	0	3
32		801-532	6×6×4"	0	4
33		801-585	8×8×6"	0	5





No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
34	Tee(SOC×SOC×FIPT) 	802-005	1/2"	20	120
35		802-007	3/4"	20	120
36		802-010	1"	15	60
37		802-015	1-1/2"	10	40
38		802-020	2"	5	20
39		Reducing Tee (SOC× SOC× FIPT) 	802-251	2×2×1-1/2"	10
40	802-291		2-1/2×2-1/2×1-1/2"	10	40
41	Tee (FIPT× FIPT× FIPT) 	805-002	1/4"	50	600
42		805-003	3/8"	50	400
43		805-005	1/2"	20	240
44		805-007	3/4"	20	160
45		805-010	1"	15	90
46		805-012	1-1/4"	10	40
47		805-015	1-1/2"	10	40
48		805-020	2"	0	0
49		805-025	2-1/2"	5	20
50		805-030	3"	0	6
51		805-040	4"	0	5
52	90°Elbow (SOC × SOC) 	806-002	1/4"	50	600
53		806-003	3/8"	20	240
54		806-005	1/2"	25	300
55		806-007	3/4"	20	160
56		806-010	1"	25	100
57		806-012	1-1/4"	10	60
58		806-015	1-1/2"	15	60
59		806-020	2"	8	32
60		806-025	2-1/2"	5	30
61		806-030	3"	5	20
62		806-040	4"	0	5
63		806-060	6"	0	4
64		806-080	8"	0	4
65	90° Elbow (SOC × FIPT) 	807-005	1/2"	20	240
66		807-007	3/4"	25	200
67		807-010	1"	25	100
68		807-012	1-1/4"	10	60
69		807-015	1-1/2"	10	40
70		807-020	2"	15	60









No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn	
71	90°Elbow (FIPT×FIPT) 	808-002	1/4"	50	600	
72		808-003	3/8"	50	600	
73		808-005	1/2"	20	240	
74		808-007	3/4"	25	200	
75		808-010	1"	15	90	
76		808-012	1-1/4"	10	60	
77		808-015	1-1/2"	10	40	
78		808-020	2"	10	60	
79		808-025	2-1/2"	6	36	
80		808-030	3"	5	20	
81		808-040	4"	0	20	
82		45°Elbow (SOC×SOC) 	817-002	1/4"	50	600
83			817-003	3/8"	25	300
84	817-005		1/2"	30	360	
85	817-007		3/4"	20	240	
86	817-010		1"	20	120	
87	817-012		1-1/4"	15	90	
88	817-015		1-1/2"	10	60	
89	817-020		2"	10	40	
90	817-025		2-1/2"	0	60	
91	817-030		3"	0	16	
92	817-040		4"	0	9	
93	817-060		6"	0	2	
94	45°Elbow (FIPT×FIPT) 		819-005	1/2"	30	360
95		819-007	3/4"	20	240	
96		819-010	1"	10	120	
97		819-012	1-1/4"	10	80	
98		819-015	1-1/2"	10	60	
99		819-020	2"	10	40	
100		819-025	2-1/2"	8	48	
101		819-030	3"	6	24	
102		819-040	4"	0	8	
103		Coupling (SOC×SOC) 	829-002	1/4"	50	600
104	829-005		1/2"	35	420	
105	829-007		3/4"	25	300	
106	829-010		1"	25	150	
107	829-012		1-1/4"	10	80	
108	829-015		1-1/2"	10	80	
109	829-020		2"	10	60	
110	829-025		2-1/2"	10	60	

No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
111	Coupling (SOC×SOC) 	829-030	3"	0	25
112		829-040	4"	0	12
113		829-060	6"	0	4
114		829-080	8"	0	6
115		829-100	10"	0	8
116		829-120	12"	0	1
117		Reducing Coupling (SOC×SOC) 	829-101	3/4×1/2"	50
118	829-130		1×1/2"	25	150
119	829-131		1×3/4"	25	150
120	829-166		1-1/4×1/2"	25	150
121	829-167		1-1/4×3/4"	25	150
122	829-168		1-1/4×1"	35	140
123	829-210		1-1/2×3/4"	25	100
124	829-211		1-1/2×1"	20	80
125	829-212		1-1/2×1-1/4"	20	80
126	829-251		2×1-1/2"	20	120
127	829-338		3×2"	5	20
128	829-422		4×3"	10	40
129	829-532		6×4"	0	4
130	829-585		8×6"	0	4
131	Coupling (FIPT×FIPT) 	830-002	1/4"	50	600
132		830-005	1/2"	25	300
133		830-007	3/4"	25	300
134		830-010	1"	15	180
135		830-012	1-1/4"	10	120
136		830-015	1-1/2"	10	80
137		830-020	2"	10	60
138		830-025	2-1/2"	5	20
139		830-030	3"	5	20
140		830-040	4"	8	32
141	Female Adapter (SOC×FIPT) 	835-002	1/4"	50	600
142		835-005	1/2"	30	360
143		835-007	3/4"	30	240
144		835-010	1"	25	150
145		835-012	1-1/4"	10	120
146		835-015	1-1/2"	10	80
147		835-020	2"	15	60
148		835-025	2-1/2"	5	30
149		835-030	3"	7	42
150		835-040	4"	5	20

No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
151	Male Adapter (Mipt×SOC) 	836-005	1/2"	25	300
152		836-007	3/4"	25	300
153		836-010	1"	20	160
154		836-012	1-1/4"	10	120
155		836-015	1-1/2"	10	60
156		836-020	2"	10	60
157		836-025	2-1/2"	6	36
158		836-030	3"	8	48
159		836-040	4"	4	16
160		Reducing Bushing Flush Style(SPIG×SOC) 	837-052	3/8×1/4"	100
161	837-072		1/2×1/4"	100	1200
162	837-073		1/2×3/8"	50	600
163	837-101		3/4×1/2"	50	600
164	837-130		1×1/2"	50	400
165	837-131		1×3/4"	50	400
166	837-166		1-1/4×1/2"	50	300
167	837-167		1-1/4×3/4"	50	300
168	837-168		1-1/4×1"	25	200
169	837-209		1-1/2×1/2"	30	180
170	837-210		1-1/2×3/4"	30	180
171	837-211		1-1/2×1"	25	150
172	837-212		1-1/2×1-1/4"	25	150
173	837-247		2×1/2"	25	150
174	837-248		2×3/4"	10	120
175	837-249		2×1"	10	120
176	837-250		2×1-1/4"	10	120
177	837-251		2×1-1/2"	10	120
178	837-289		2-1/2×1"	10	60
179	837-290		2-1/2×1-1/4"	10	60
180	837-291		2-1/2×1-1/2"	10	60
181	837-292		2-1/2×2"	10	60
182	837-335		3×1"	10	40
183	837-337		3×1-1/2"	10	40
184	837-338		3×2"	10	40
185	837-339		3×2-1/2"	10	40
186	837-420		4×2"	6	24
187	837-421		4×2-1/2"	6	24
188	837-422		4×3"	6	24
189	837-528		6×2"	0	9
190	837-530		6×3"	0	6
191	837-532		6×4"	0	9
192	837-626		10×6"	0	16
193	837-628	10×8"	0	16	

No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
194	Reducing Bushing Flush Style(SPIG × FIPT) 	838-052	3/8×1/4"	100	1200
195		838-072	1/2×1/4"	100	1200
196		838-101	3/4×1/2"	50	600
197		838-130	1×1/2"	50	400
198		838-131	1×3/4"	50	400
199		838-166	1-1/4×1/2"	25	300
200		838-167	1-1/4×3/4"	20	240
201		838-168	1-1/4×1"	25	200
202		838-209	1-1/2×1/2"	30	180
203		838-210	1-1/2×3/4"	25	150
204		838-211	1-1/2×1"	25	150
205		838-212	1-1/2×1-1/4"	25	150
206		838-247	2×1/2"	10	120
207		838-248	2×3/4"	10	120
208		838-249	2×1"	10	120
209		838-250	2×1-1/4"	10	120
210		838-251	2×1-1/2"	10	120
211		838-292	2-1/2×2"	10	60
212	838-338	3×2"	10	40	
213	838-339	3×2-1/2"	10	40	
214	838-420	4×2"	6	24	
215	838-422	4×3"	6	24	
216	838-532	6×4"	0	6	
217	Reducing T.T. Bushing Flush Style(MIPT× FIPT) 	839-072	1/2×1/4"	100	1200
218		839-073	1/2×3/8"	100	1200
219		839-098	3/4×1/4"	100	1200
220		839-099	3/4×3/8"	100	1200
221		839-101	3/4×1/2"	50	600
222		839-129	1×3/8"	50	600
223		839-130	1×1/2"	50	600
224		839-131	1×3/4"	50	600
225		839-166	1-1/4×1/2"	35	420
226		839-167	1-1/4×3/4"	25	300
227		839-168	1-1/4×1"	25	300
228		839-210	1-1/2×3/4"	25	200
229		839-211	1-1/2×1"	25	200
230		839-212	1-1/2×1-1/4"	25	150
231		839-247	2×1/2"	10	120
232		839-292	2-1/2×2"	10	60

No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
233	Cap (SOC) 	847-002	1/4"	100	1200
234		847-003	3/8"	50	600
235		847-005	1/2"	65	780
236		847-007	3/4"	40	480
237		847-010	1"	20	240
238		847-012	1-1/4"	10	120
239		847-015	1-1/2"	10	120
240		847-020	2"	10	80
241		847-025	2-1/2"	15	60
242		847-030	3"	5	20
243		847-040	4"	5	20
244		847-060	6"	0	4
245		847-080	8"	0	12
246		Cap (FIPT) 	848-002	1/4"	100
247	848-003		3/8"	50	600
248	848-005		1/2"	50	600
249	848-007		3/4"	40	480
250	848-010		1"	20	240
251	848-012		1-1/4"	10	120
252	848-015		1-1/2"	10	60
253	848-020		2"	10	60
254	848-025		2-1/2"	10	60
255	848-030		3"	8	32
256	848-040		4"	5	20
257	Plug (SPIG) 	849-010	1"	50	300
258		849-020	2"	10	120
259	Plug (MIPT) 	850-002	1/4"	100	1200
260		850-003	3/8"	100	1200
261		850-005	1/2"	150	1800
262		850-007	3/4"	100	1200
263		850-010	1"	50	600
264		850-012	1-1/4"	30	360
265		850-015	1-1/2"	10	120
266		850-020	2"	10	120
267		850-025	2-1/2"	10	60
268		850-030	3"	10	60
269		850-040	4"	8	32

No	Product(s)	Part Number	Size(in)	Std Pk Ctn	Mstr Ctn
270	Flange One Piece (SOC) 	851-025	2-1/2"	0	15
271		851-030	3"	0	12
272	Floor Flange(FIPT) 	852-005	1/2"	20	120
273		852-007	3/4"	25	150
274		852-010	1"	15	60
275		852-012	1-1/4"	15	60
276	Blind Flange 	853-025	2-1/2"	0	25
277		853-030	3"	0	20
278	Wye (SOC x SOC x SOC) 	875-020	2"	0	18
279		875-040	4"	0	3
280		875-060	6"	0	2
281	Reducing Nipple (MIPT x MIPT) 	882-101	3/4x1/2"	50	600
282	Union w/ O-ring Seal(SOCxSOC) 	897-002	1/4"	25	300
283		897-005	1/2"	10	120
284		897-007	3/4"	20	120
285		897-010	1"	10	80
286		897-012	1-1/4"	10	40
287		897-015	1-1/2"	5	30
288		897-020	2"	10	40
289		897-030	3"	5	20
290		Union W/O-ring Seal (FIPTx FIPT) 	898-005	1/2"	20
291	898-007		3/4"	20	120
292	898-010		1"	10	80
293	898-012		1-1/4"	10	60
294	898-015		1-1/2"	10	40
295	Union W/O-ring Seal(SOC x FIPT) 	899-005	1/2"	20	160
296		899-007	3/4"	20	120
297		899-010	1"	10	80
298		899-012	1-1/4"	15	60
299		899-015	1-1/2"	10	40
300		899-020	2"	5	30